

# **Hook-All™ Hooklifts** BY AMERICAN ROLL-OFF®

## **HOOKLIFT HOISTS FOR SINGLE AXLE CHASSIS HAS-100-84-36**



### **Model HAS-100 for 84" – 96" C.A., 36" Hook Height 10,000 Lbs. Capacity**

**Hook-All®** Hooklifts are an easy way to increase your truck utilization. Our Hook Lift Hoist will allow a single chassis to load, unload, and dump a variety of containers or bodies.




#### **STANDARD HOOKLIFT FEATURES INCLUDE:**

- Easily picks up and dumps 10 foot Containers and 12 foot Flatbeds
- Trucks can hook-up as much as 30 degrees off center
- Dual Lift Cylinders for added strength and stability
- Sliding jib design to adjust weight distribution
- Three point container securement systems locks both front and rear of container
- Single articulation point design features less moving parts
- Single rear rollers with aluminum bronze bushings
- Inside cab controls never require the operator to leave the cab  
Electric or Air controls, optional
- Low pressure 2,800 PSI hydraulics operated with gear style pump, easily adapts to low pressure accessories
- Designed and manufactured in the United States
- Poly Fenders with full width bumper
- Pintle hook mounting plate is standard on all units
- LED stop turn and marker lights with plug in wire harness
- All models include an A-Frame drawing so you can manufacture your own bodies
- Longer bodies can be loaded or unloaded with the addition of an ICC bumper


**(Designed for Chassis G.V.W. of 15,000 to 25,000 Lbs.)**

# Model HAS-100-84-36


10,000 LB. Capacity




MAX. LOAD ANGLE 33 DEG



MAX. LOAD ANGLE 28 DEG



MAX. DUMPING ANGLE 50 DEG



MAX. DUMPING ANGLE 38 DEG

Customized quick change bodies we have manufactured and supplied include:

**Open Top Containers**  
**Closed Storage Bodies**  
**Salt and Sand Spreaders**  
**Tree Spraying units**  
**Septic Cleaning Pumps**  
**Hydroseeders**  
**Concrete Forms**  
**Scaffold delivery skids**

**Recycling containers**  
**Flatbed Bodies**  
**Dump bodies: standard & heated**  
**Water tanks & spraying systems**  
**Liftgate bodies**  
**Cranes: skid mounted**  
**Bark Mulch Blowers**  
**Contractors Bodies**

**Hook-All<sup>®</sup>** Hooklifts are produced in the United States by the manufacturer of the American Roll-off<sup>®</sup> with over 30 years experience in quick change bodies.

Manufactured Exclusively by:  
**Automated Waste Equipment Co.**  
PO BOX 5757, 3 Tennis Court, Trenton, NJ 08638  
Phone: 609-588-5400 Fax: 609-588-4104

[www.americanrolloff.com](http://www.americanrolloff.com)

Distributed By:

# **Hook-All™ Hooklifts**

BY AMERICAN ROLL-OFF®

## **HOOKLIFT HOISTS FOR SINGLE AXLE CHASSIS HAS-100-108-36**



### **Model HAS-100 for 96" – 108" C.A., 36" Hook Height 10,000 Lbs. Capacity**

**Hook-All®** Hooklifts are an easy way to increase your truck utilization. Our Hook Lift Hoist will allow a single chassis to load, unload, and dump a variety of containers or bodies.




#### **STANDARD HOOKLIFT FEATURES INCLUDE:**

- Easily picks up and dumps 11 foot Containers and 13 foot Flatbeds
- Trucks can hook-up as much as 30 degrees off center
- Dual Lift Cylinders for added strength and stability
- Sliding jib design to adjust weight distribution
- Three point container securement systems locks both front and rear of container
- Single articulation point design features less moving parts
- Single rear rollers with aluminum bronze bushings
- Inside cab controls never require the operator to leave the cab  
Electric or Air controls, optional
- Low pressure 2,800 PSI hydraulics operated with gear style pump, easily adapts to low pressure accessories
- Designed and manufactured in the United States
- Poly Fenders with full width bumper
- Pintle hook mounting plate is standard on all units
- LED stop turn and marker lights with plug in wire harness
- All models include an A-Frame drawing so you can manufacture your own bodies
- Longer bodies can be loaded or unloaded with the addition of an ICC bumper


**(Designed for Chassis G.V.W. of 15,000 to 25,000 Lbs.)**

# Model HAS-100-108-36


10,000 LB. Capacity




MAX. LOAD ANGLE 31 DEG



MAX. LOAD ANGLE 28 DEG



MAX. DUMPING ANGLE 52 DEG



MAX. DUMPING ANGLE 46 DEG

Customized quick change bodies we have manufactured and supplied include:

**Open Top Containers**  
**Closed Storage Bodies**  
**Salt and Sand Spreaders**  
**Tree Spraying units**  
**Septic Cleaning Pumps**  
**Hydroseeders**  
**Concrete Forms**  
**Scaffold delivery skids**

**Recycling containers**  
**Flatbed Bodies**  
**Dump bodies: standard & heated**  
**Water tanks & spraying systems**  
**Liftgate bodies**  
**Cranes: skid mounted**  
**Bark Mulch Blowers**  
**Contractors Bodies**

**Hook-All<sup>®</sup>** Hooklifts are produced in the United States by the manufacturer of the American Roll-off<sup>®</sup> with over 30 years experience in quick change bodies.

Manufactured Exclusively by:  
**Automated Waste Equipment Co.**  
PO BOX 5757, 3 Tennis Court, Trenton, NJ 08638  
Phone: 609-588-5400 Fax: 609-588-4104

[www.americanrolloff.com](http://www.americanrolloff.com)

Distributed By: